## **BASF Corporation**Chemicals Division

Cercla E.F. Y BASF

CERTIFIED MAIL:

EPA: P-596 485 246 MDNR: P-596 485 314

U.S. EPA, REGION V WASTE MANAGEMENT DIVISION

OFFICE OF THE DIRECTOR

November 13, 1987



Waste Management Division United States Environmental Protection AGency - Region V 230 S. Dearborn Street Chicago, IL 60604

Director Michigan Department of Natural Resources P. O. Box 30028 Lansing, MI 48909

To Whom It May Concern:

Subject: Civil Action 80-73699 Consent Decree

Pursuant to Section IX and V.B.2, of the referenced Consent Decree, provided herewith are the numerical results of groundwater samples taken in September from the wells remaining on the site.

As provided in Section IX and V.B.5 of the referenced Consent Decree, BASF Corporation Chemicals Division is hereby giving notice of its intent to discontinue specified chemical analysis which have been less than the level of quantification for six or more consecutive sampling periods.

PCB analysis at Well G will be discontinued effective January 31, 1988.

Very truty yours,

H. D. Roush

Manager

Quality Assurance and Environmental Affairs

mh

attachments

## CIVIL ACTION 80-73699 - CONSENT DECREE

## ANALYTICAL RESULTS FOR SAMPLES TAKEN

## SEPTEMBER 1987

Well No.	Elv. Feet	Concentration (PPb)					
		Benzo-(a) Pyrene	Napthalene	PCB's	Penta Chloro Phenol	Hg	As
A	575.27	ND	128	-	ND	37	130
В	575.23	55	2,236	-	479	74	780
С	575.14	3	391	~	160	85	630
D	575.99	-	2,464	~	600	1,600	13
Ε	576.10	2	148	-	ND	1,700	11,000
F	577.02	~	ND	~	ND	22	450
G	576.34	-	89	-	ND	ND	620
Н	576.23	ND	11	-	-	ND	320
I	576.62	3	ND	ND	-	ND	960
J	577.00	31	2,910	-	ND	610	870
K *	575.97	4	95	-	ND	8,400	990
Ľ*	576.69	ND	<b>N</b> D	-	ND	17	42
M *	572.11 ([	)ry)					

Elevation of the Trenton Channel 575.53 Ft.

<sup>\*</sup>New wells installed September 1987